

Catering Lifts

Narrow Body

CL100-16



- 16' van body
- 84"-186" platform reach
- 7,000 lbs lift capacity
- Ford F650 or similar



Tesco lift design make us an industry leader with over 65 years experience. Our hi-lifts are among the smoothest operating hi-lifts in the industry.

AIRCRAFT APPLICATIONS:

AIRBUS A319/320/A321
AIRBUS A300 SERIES
AIRBUS A330/A340
BOEING B707/B720 SERIES
B-717/DC-9/MD-80 SERIES
B-727 SERIES
B-737 SERIES
BAE/ROMBAC 1-11
IL-62 SERIES
IL-76/IL-86/IL-96
IL-1011 SERIES



Narrow Body CL100-16

Electrical & Hydraulic System
W/Optional 2-Way or 4-Way Platform



Electrical Controls

Chassis Specification

- Ford F650 Low Profile or similar
- Full complement of lighted instruments including a fuel gauge
- Full chassis lighting including: headlights, taillights, back up lights, turn signals, and brake lights
- GVW rating of 25,900 Lbs

Hi-Lift Specification

- Payload capacity 10,000 lbs (4,545 kg).
- Van body floor and interface platform floor constructed using Aluminum diamond plate
- Upper and lower control stations both equipped with Emergency Stop switches and Engine Remote Start on upper control
- Dual lift safety circuit
- Safety interlocks that prevent driving the vehicle when the hi-lift platform is raised
- Emergency hand pump that returns the unit to its fully stowed position in the event of a main hydraulic system failure

Optional Features

- Aluminum or FRP van body side panels
- Cab mounted engine hour meter
- Mico brake
- Safety "Amber" warning beacon
- Audible back up alarm and/or platform lowering alarm
- Storage shelving
- Lighting for van body interior platform and/or dock platform lighting
- Fire extinguisher located to the user specification
- Wheel chocks
- Rear lift gate
- COLD WEATHER PACKAGE




Body Up Limit Switch

OPTIONAL 4-WAY PLATFORM






TESCO's Self Contained Hydraulic & Electrical Systems provide the simplicity and ease of maintenance to meet the demands of our customers.



Our Plug & Play system was designed specifically for Aviation Catering applications.



Each component can be easily detached and replaced for reduced maintenance time.

LED indicators on every relay allow easy troubleshooting.

Standard Automotive components easily sourced in local markets.

We offer a full line
Aluminum, FRP and Insulated
Van bodies.



**FORWARD PLATFORM CONFIGURATIONS include
Full Width, Two Way moving
and Four Way moving platforms.**

