

# Catering Lifts

## Narrow Body

### CL60-12/14



- 12'-14' van body
- 98"-136" platform reach (ISUZU NRR) - CL60-12
- 80"-160" platform reach (Ford F550) - CL60-14
- 3,000 lbs lift capacity
- Ford F550 or Isuzu NRR



#### AIRCRAFT APPLICATIONS:

AIRBUS A319/320/A321  
BOEING B707/B720 SERIES  
B-717/DC-9/MD-80 SERIES  
B-727 SERIES  
B-737 SERIES  
IL-76  
FOKKER F28  
TU-134/TU-154

Tesco lift design make us an industry leader with over 65 years experience. Our hi-lifts are among the smoothest operating hi-lifts in the industry.



# Narrow Body

## CL60-12/14

Electrical & Hydraulic System  
W/Optional 2-Way or 4-Way Platform



### Chassis Specification

- Isuzu NRR LP or Ford F550 LP
- Full complement of lighted instruments including a fuel gauge
- Full chassis lighting including: headlights, taillights, back up lights, turn signals, and brake lights
- GVW rating of 19,000 Lbs

### Hi-Lift Specification

- Payload capacity 3,000 lbs (1361 kg).
- Van body floor and interface platform floor constructed using Aluminum diamond plate
- Upper and lower control stations both equipped with Emergency Stop switches and Engine Remote Start on upper control
- Dual lift safety circuit
- Safety interlocks that prevent driving the vehicle when the hi-lift platform is raised
- Emergency hand pump that returns the unit to its fully stowed position in the event of a main hydraulic system failure


### Optional Features

- Aluminum or FRP van body side panels
- Cab mounted engine hour meter
- Mico brake
- Safety "Amber" warning beacon
- Audible back up alarm and/or platform lowering alarm
- Storage shelving
- Lighting for van body interior platform and/or dock platform lighting
- Fire extinguisher located to the user specification
- Wheel chocks
- Rear lift gate
- COLD WEATHER PACKAGE






**TESCO's Self Contained Hydraulic & Electrical Systems provide the simplicity and ease of maintenance to meet the demands of our customers.**



**Our Plug & Play system was designed specifically for Aviation Catering applications.**



**Each component can be easily detached and replaced for reduced maintenance time.**

**LED indicators on every relay allow easy troubleshooting.**

**Standard Automotive components easily sourced in local markets.**

We offer a full line  
Aluminum, FRP and Insulated  
Van bodies.



**FORWARD PLATFORM CONFIGURATIONS include  
Full Width, Two Way moving  
and Four Way moving platforms.**

